75 cm, WINE CELLAR, 0FW Model BUILT-IN

CLASSIC® SERIE







FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movemenet patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Isulated variavle speed compressors manteins precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two indipendent climatic zone.
- Deep capacity within a standard depth is achieved by a side mounted evaporators, wich leaves grater interior space.
- Full range of models and configurations (18", 24", 30" and 36"). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximun protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control
- Ambra light LED: not interact at the molecular level with the wine and not contains ultraviolet rays.


| Reversible door | NO |
|-----------------------------------------|-----------|
| Equilance | YES |
| SoftClosing Runner | NO |
| _ow vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 13 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Door Bins | |
| Fridge drawers type | |
| Fresco/LowTemp Drawers | |
| Bottom drawers | |
| Full Extension shelves 90° door opening | |
| Full Extension drawers 90° door opening | NO NO |
| Defrost Process | AUTOMATIC |
| ce maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | YES |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |


75 cm, WINE CELLAR, 0FW Model

BUILT-IN

CLASSIC® SERIE

PRODUCT DETAIL







M = separate microclimates

Filaba

| CAPACITY | |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Volume Compartment 1 (L) | 467 |
| Volume Compartment 2 (L) | |
| Volume Compartment 3 (L) | |
| Total Net Volume (L) | 467 |
| Total Gross Volume (L) | 482 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 72 |
| Compartment 2 / Lower wine cellar capacity (bottles) | 45 |
| Compartment 3 / Bottom wine cellar capacity (bottles) | _ |
| | The state of the s |

| TECHNICAL DETAILS | |
|--------------------------------------|------------|
| Absorbed power (W) | |
| Total absorbed current (A) | 1.5 |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Power Cord Length (mm) | 2 |
| Plug Type | Schuko 16A |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| Refrigerant (gas) | R600a |
| Water connection / female attachment | - |
| | |
| | |
| | |


| EFFICIENCY | |
|-------------------------------------------|--------------|
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | |
| DIMENSIONS & WEIGHT | |
| Height of the product (closed weels) (mm) | 2050 |
| Adjustable feet height (mm) | 25 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 640 |
| Wall cavity height (mm) | 2064 |
| Wall cavity width (mm) | 750 |
| Wall cavity depth (mm) | 650 |
| Net Weight (kg) | 159 |
| Gross Weight (kg) | 180 |
| | |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | |
| Dual zone | NO |
| | |
| | |
| | 1 |


75 cm, WINE CELLAR, 0FW Model


BUILT-IN

PRODUCT SPECIFICATIONS AND DIMENSIONS












Fhaha









For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.




Based on the adjustment of the feet and the height of the panel from the floor, the customer defines the perforated plinth to be installed on the equipment.

75 cm, WINE CELLAR, 0FW Model BUILT-IN

CLASSIC® SERIE


NICHE SPECIFICATIONS AND DIMENSIONS






| TECHNICAL DATA | |
|----------------------------------------------|-----|
| Niche Width A (mm) | 750 |
| Unit Width B (mm) | 737 |
| Unit Width with lateral frames C (mm) | 749 |

Electrical and Water connection



Electrical and Water connection behind the unit




75 cm, WINE CELLAR, 0FW Model **BUILT-IN**

CLASSIC® SERIE

INSTALLATION INFORMATION

Side by side installation



- 1 Device 1
- 2 Device 2
- 3 Joining kit
- A Niche device 1
- B Niche device 2

ACCESSORIES

- Stainless steel sides panels
- Glass door
- Joining kit
- Stainless steel portal for freestanding
- Extra lenght anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Bottle trap
- Sigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.



Finalia