90 cm, WINE CELLAR, 0FW Model BUILT-IN

INTEGRATED® SERIE







FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movemenet patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Isulated variavle speed compressors manteins precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two indipendent climatic zone.
- Deep capacity within a standard depth is achieved by a side mounted evaporators, wich leaves grater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximun protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

	-	
GENERAL PROPERTIES		
Reversible door	NO	
Equilance	YES	
SoftClosing Runner	NO YES	
Low vibration		
Optieview (LED light spots)	YES	
Shelves	13	
Slide-out shelves	YES	
Type of shelves	WOOD	
Door Bins		
Fridge drawers type		
Fresco/LowTemp Drawers		
Bottom drawers		
Full Extension shelves 90° door opening	YES	
Full Extension drawers 90° door opening	NO	
Defrost Process	AUTOMATIC	
Ice maker with water filter	NO	
Door Open Alarms	YES	
Humidity control	YES	
Active carbon filter	YES	
Air filter control	NO	
Shopping Fridge	NO	
Shopping Freezer	NO	
Power Failure Function	YES	


90 cm, WINE CELLAR, 0FW Model

BUILT-IN

INTEGRATED® SERIE

PRODUCT DETAIL







wine cellar

D = door

M = separate microclimates

Filaba

CAPACITY	
Volume Compartment 1 (L)	590
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	
Total Net Volume (L)	590
Total Gross Volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Lower wine cellar capacity (bottles)	90
Compartment 3 / Bottom wine cellar capacity (bottles)	-

TECHNICAL DETAILS	
Absorbed power (W)	
Total absorbed current (A)	1.5
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Power Cord Length (mm)	2
Plug Type	Schuko 16A
Climatic class	SN/T
Noise level (dB)	41
Refrigerant (gas)	R600a
Water connection / female attachment	-

EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169
DIMENSIONS & WEIGHT	
Height of the product (closed weels) (mm)	2050
Adjustable feet height (mm)	25
Width of the product (mm)	899
Depth of Product without handle (mm)	615
Wall cavity height (mm)	2064
Wall cavity width (mm)	900
Wall cavity depth (mm)	650
Net Weight (kg)	173
Gross Weight (kg)	194
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper temperature (°C)	from 4 to 18
Compartment 2 / Middle temperature (°C)	from 4 to 18
Low temp zone	NO NO
Compartment 3 / Low temperature (°C)	
Dual zone	NO


90 cm, WINE CELLAR, 0FW Model


BUILT-IN


FRONT VIEW

INTEGRATED® SERIE

PRODUCT SPECIFICATIONS AND DIMENSIONS









FARMA


TOP VIEW, HINGE 105°



TOP VIEW. HINGE 90°



PLINTH SIZE





For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.



Based on the adjustment of the feet and the height of the panel from the floor, the customer defines the perforated plinth to be installed on the equipment.


90 cm, WINE CELLAR, 0FW Model

BUILT-IN

INTEGRATED® SERIE


NICHE SPECIFICATIONS AND DIMENSIONS





TECHNICAL DATA	
Niche Width A (mm)	900
Unit Width B (mm)	887
Unit Width with lateral frames C (mm)	899

Electrical and Water connection




90 cm, WINE CELLAR, 0FW Model

BUILT-IN

INTEGRATED® SERIE

CUSTOM PANELS INFORMATION





Integrated Panel Recommendations

Panels with thickness ranging between 18 mm and 28 mm.
Door panels with weight max of 34 kg and drawer panels with weight max of kg. Provide installation of decorative panels during installation of the unit.




For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.

Fhaba

90 cm, WINE CELLAR, 0FW Model **BUILT-IN**

INTEGRATED® SERIE

INSTALLATION INFORMATION



			Α		
	unit size	45	60	75	90
	45	90 cm	105 cm	120 cm	135 cm
В	60	105 cm	120 cm	135 cm	150 cm
	75	120 cm	135 cm	150 cm	165 cm
	90	135 cm	150 cm	165 cm	180 cm

ACCESSORIES

- Stainless steel sides panels
- Glass door
- Joining kit
- Stainless steel tubolar handless 30mm
- Stainless steel tubolar handless 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra lenght anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit

- 90° Door stop
- Push / pull opening
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Bottle trap
- Sigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.



Finalia