90 cm, DUAL COMPARTMENT WINE CELLAR, 0H Model BUILT-IN









- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movemenet patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Isulated variavle speed compressors manteins precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two indipendent climatic zone.
- Deep capacity within a standard depth is achieved by a side mounted evaporators, wich leaves grater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximun protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



GENERAL PROPERTIES		
Reversible door	NO	
Equilance	YES	
SoftClosing Runner	NO	
Low vibration	YES	
Optieview (LED light spots)	YES	
Shelves	9	
Slide-out shelves	YES	
Type of shelves	WOOD	
Door Bins		
Fridge drawers type		
Fresco/LowTemp Drawers		
Bottom drawers	2	
Full Extension shelves 90° door opening	YES	
Full Extension drawers 90° door opening	NO	
Defrost Process	AUTOMATIC	
Ice maker with water filter	NO	
Door Open Alarms	YES	
Humidity control	YES	
Active carbon filter	YES	
Air filter control	NO NO	
Shopping Fridge	NO	
Shopping Freezer	YES	
Power Failure Function	YES	


90 cm, DUAL COMPARTMENT WINE CELLAR, 0H Model



INTEGRATED® SERIE

PRODUCT DETAIL





1D | 2BD | 2M

D = door **BD** = drawer

M = separate microclimates

Filaba

CAPACITY	
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total Gross Volume (L)	542
Compartment 1 / Upper wine cellar capacity (bottles)	108
Compartment 2 / Lower wine cellar capacity (bottles)	
Compartment 3 / Bottom wine cellar capacity (bottles)	-

TECHNICAL DETAILS		
Absorbed power (W)		
Total absorbed current (A)	1.23	
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Power Cord Length (mm)	2	
Plug Type	Schuko 16A	
Climatic class	SN/T	
Noise level (dB)	41	
Refrigerant (gas)	R600a	
Water connection / female attachment	-	

EFFICIENCY		
New Energy Label class	G	
Energy consumption (kWh/year)	197	
DIMENSIONS & WEIGHT		
Height of the product (closed weels) (mm)	2050	
Adjustable feet height (mm)	25	
Width of the product (mm)	899	
Depth of Product without handle (mm)	610	
Wall cavity height (mm)	2064	
Wall cavity width (mm)	900	
Wall cavity depth (mm)	650	
Net Weight (kg)	181	
Gross Weight (kg)	202	
TEMPERATURE RANGES		
Climatic compartments	2	
Compartment 1 / Upper temperature (°C)	from 4 to 18	
Compartment 2 / Middle temperature (°C)		
Low temp zone	NO	
Compartment 3 / Low temperature (°C)	from -15 to -22	
Dual zone	YES	

90 cm, DUAL COMPARTMENT WINE CELLAR, 0H Model


BUILT-IN

INTEGRATED® SERIE


PRODUCT SPECIFICATIONS AND DIMENSIONS

FRONT VIEW


SIDE VIEW




TOP VIEW, HINGE 105°



TOP VIEW, HINGE 90°



PLINTH SIZE



FIRMA



For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.




Based on the adjustment of the feet and the height of the panel from the floor, the customer defines the perforated plinth to be installed on the equipment.

90 cm, DUAL COMPARTMENT WINE CELLAR, 0H Model BUILT-IN




NICHE SPECIFICATIONS AND DIMENSIONS





TECHNICAL DATA	
Niche Width A (mm)	900
Unit Width B (mm)	887
Unit Width with lateral frames C (mm)	899

Electrical and Water connection








INTEGRATED® SERIE

CUSTOM PANELS INFORMATION





Integrated Panel Recommendations

Panels with thickness ranging between 18 mm and 28 mm. Door panels with weight max of 23 kg and drawer panels with weight max of 11 kg. Provide installation of decorative panels during installation of the unit.



For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.

Filaba

90 cm, DUAL COMPARTMENT WINE CELLAR, 0H Model




INTEGRATED® SERIE

INSTALLATION INFORMATION



Niche dimensions for combined installation



			А		
	unit size	45	60	75	90
	45	90 cm	105 cm	120 cm	135 cm
В	60	105 cm	120 cm	135 cm	150 cm
	75	120 cm	135 cm	150 cm	165 cm
	90	135 cm	150 cm	165 cm	180 cm

ACCESSORIES

- Stainless steel sides panels
- Glass door
- Joining kit
- Stainless steel tubolar handless 30mm
- Stainless steel tubolar handless 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra lenght anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit

- 90° Door stop
- Push / pull opening
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Bottle trap
- Sigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



For installation specifications, please consult with Fhiaba. For optimum installation, we recommend using the actual product as the best guide.

